



GELATEC


G Gelatec



PLATINUM DISPLAY LINE IS MANUFACTURED TO THE FOLLOWING VERSIONS:

1. VENTILATED ICE CREAM

2. VENTILATED COLD PASTRY OR SNACK



Performance


| Functioning Temperature | - 20 |
|----------------------------------|---------------|
| PRODUCT CONSERVATION TEMPERATURE | - 18 |
| CLIMATIC CLASS | + 4 |
| Compressor Type | Hermetic |
| DEFROST | REVERSE CYCLE |
| Refrigerant Gas | R404A |
| ELECTRIC POWER SUPPLY V/PH/HZ | 400/3/50 |

Performance

| Functioning Temperature | + 2 |
|----------------------------------|-----------|
| PRODUCT CONSERVATION TEMPERATURE | + 4 |
| CLIMATIC CLASS | + 4 |
| Compressor Type | HERMETIC |
| DEFROST | AUTOMATIC |
| Refrigerant Gas | R404A |
| ELECTRIC POWER V/PH/HZ | 230/1/50 |

3. VENTILATED HOT

4. BAIN MARIE



Performance

FUNCTIONING TEMPERATURE + 70 PRODUCT CONSERVATION TEMPERATURE + 65 ELECTRICAL POWER SUPPLY V/PH/HZ 230/1/50

Performance


| Functioning Temperature | + 80 |
|---------------------------------|----------|
| ELECTRICAL POWER SUPPLY V/PH/HZ | 230/1/50 |

1. VENTILATED ICE CREAM

| L 120 | 0/ 12 TRAYS |
|-------|-------------|
| н | 1200 |
| W | 1050 |
| KG | 180 |

| L 171 | 5/ 18 TRAYS |
|-------|-------------|
| н | 1200 |
| W | 1700 |
| KG | 250 |

| L 2200/ 24 TRAYS | | |
|------------------|------|--|
| н | 1200 | |
| W | 2400 | |
| KG | 310 | |



The showcase's body is made by stainless steel AISI 304 insulated with ecological polyurethane with density 42kg/m3.

THE SYSTEM IS CONTROLLED BY ELECTRONIC THERMOSTAT WITH INSULATION INDEX IP65 AND LED DISPLAY.

The evaporator has been treated with a special antitoxic pigment in order to avoid the transmission of toxicity to the products.

THE DEFROST MODE BY REVERSE CYCLE ENSURES THE BEST CONSERVATION OF ICE CREAM.

THE LIGHTING SYSTEM IS T8 LED LAMPS TO PREVENT OVERHEATING IN THE REFRIGERATED SPACE.

The double crystals are heated on all sides to avoid humidity condensing issues.

PLATINUM LINE CAN GUARANTEE THE IDEAL ICE CREAM CONSERVATION AND HOMOGENEOUS TEMPERATURE IN ALL THE LENGTH OF THE DISPLAY EVEN USING THE "MOUNTAIN GELATO" TECHNIQUE.

ALSO IT HAS POLYCARBONATE SLIDING DOORS IN THE BACK FOR EASY AND QUICK ACCESS BY THE USER.







2. VENTILATED COLD

| L 1200 | |
|--------|------|
| Н | 1200 |
| W | 800 |
| KG | 140 |

| L 1715 | |
|--------|------|
| Н | 1200 |
| W | 1000 |
| KG | 190 |

| L 2200 | |
|--------|------|
| н | 1200 |
| W | 1500 |
| KG | 250 |



The showcase's body is made by stainless steel AISI 304 insulated with ecological polyurethane with density 42kg/m3.

The system is controlled by electronic thermostat with insulation index ip65 and LED display.

THE EVAPORATOR HAS BEEN TREATED WITH A SPECIAL ANTITOXIC PIGMENT IN ORDER TO AVOID THE TRANSMISSION OF TOXICITY TO THE PRODUCTS.

THE LIGHTING SYSTEM IS T8 LED LAMPS TO PREVENT OVERHEATING IN THE REFRIGERATED SPACE.

THE DOUBLE CRYSTALS IN ALL SIDES AVOID HUMIDITY CONDENSING ISSUES.

ALSO IT HAS POLYCARBONATE SLIDING DOORS IN THE BACK FOR EASY AND QUICK ACCESS BY THE USER.





3. VENTILATED HOT

| L 1200 | |
|--------|------|
| н | 1200 |
| W | 1600 |
| KG | 138 |

 $\mathbf{>}$

| L 1715 | |
|--------|------|
| н | 1200 |
| W | 2200 |
| KG | 180 |

| L 2200 | |
|--------|------|
| н | 1200 |
| W | 3100 |
| KG | 240 |



The showcase's body is made by stainless steel AISI 304 insulated with specific high quality standards materials.

The heating elements are chosen following the most severe European specifications in order to ensure high performances and long term duration.

ALL THE DISPLAYS ARE EQUIPPED WITH SAFETY THERMAL FUSE TO AVOID DANGERS LIKELY PROVOKED BY A MATERIAL FAILURE OR A BAD USE.

THE LIGHTING SYSTEM IS T8 LED LAMPS.

IT HAS DOUBLE GLASSES AT ALL SIDES AND SLIDING POLYCARBONATE DOORS IN THE BACK.

4. BAIN MARIE

| L 1200/ 3 GN 1/1 | |
|------------------|------|
| н | 1200 |
| W | 1600 |
| KG | 138 |

≻

| L 1715/ 4 GN 1/1 | |
|------------------|------|
| Н | 1200 |
| W | 2200 |
| KG | 180 |

| L 2200/ 6 GN 1/1 | | |
|------------------|------|--|
| н | 1200 | |
| W | 2600 | |
| KG | 240 | |



The showcase's body is made by stainless steel AISI 304 insulated with specific high quality standards materials.

The heating elements are chosen following the most severe European specifications in order to ensure high performances and long term duration.

ALL THE DISPLAYS ARE EQUIPPED WITH SAFETY THERMAL FUSE TO AVOID DANGERS LIKELY PROVOKED BY A MATERIAL FAILURE OR A BAD USE.


THE LIGHTING SYSTEM IS T8 LED LAMPS.


ALSO, IT HAS DOUBLE GLASSES AT ALL SIDES AND SLIDING POLYCARBONATE DOORS IN THE BACK.

BASIN'S FILLING AND IS AUTOMATICALLY MANAGED BY ECU LEVEL CONTROL SYSTEM.

INSTEAD OF PLACE FOR GASTRONORM TRAYS IT CAN BE OPTIONALLY EQUIPPED WITH STAINLESS PLATE.








TRAYS

THIS LINE HAS BEEN DESIGNED FOR ICE CREAM TRAYS 360x165x120 MM.



#platinum





COATING

NEW EDGE TECHNOLOGY. . .



. . . INNOVATES A TRADITIONAL INDUSTRY







CUSTOM DESIGN LAB

THESSALONIKI INDUSTRIAL AREA ROAD 488 P.BOX 1005 P.C. 57022 SINDOS- GREECE TEL 0030 2310 797707 EMAIL: INFO@GELATEC.IT WWW.GELATEC.IT